



**Listing of the Claims**

1-13. (Cancelled).

14. (Currently Amended) A compound of formula II'



wherein the C ring is a 5 to 6- 4 to 7-membered saturated carbocyclic moiety;  
wherein R' is in the 1-position relative to the fused phenyl ring and is



wherein R<sup>1</sup> is phenyl selected from cycloalkyl, aryl, heteroaryl and heterocyclyl selected from thienyl, imidazolyl and benzofused heteroaryl, each of which is optionally substituted with one to five groups independently selected from halo, -NH<sub>2</sub>, -OH, -CN, -CF<sub>3</sub>, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl, oxo, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, haloalkoxy, (C<sub>1</sub>-C<sub>6</sub>)alkoxy(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>2</sub>-C<sub>6</sub>)alkenyl, (C<sub>2</sub>-C<sub>6</sub>)alkynyl, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino, -C(O)R<sup>8</sup>, -COOR<sup>8</sup>, -C(O)NR<sup>8</sup>R<sup>8'</sup>, and -NR<sup>8</sup>C(O)R<sup>8'</sup>, and

(C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, heteroaryl, cycloalkyl and heterocyclyl, each of which is optionally substituted with one to three groups independently selected from halo, -NH<sub>2</sub>, -OH, -CN, -CF<sub>3</sub>, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl, oxo, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, (C<sub>1</sub>-C<sub>6</sub>)alkoxy(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>2</sub>-C<sub>6</sub>)alkenyl, (C<sub>2</sub>-C<sub>6</sub>)alkynyl, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino, -C(O)R<sup>8</sup>, -COOR<sup>8</sup>, -C(O)NR<sup>8</sup>R<sup>8'</sup>, and -NR<sup>8</sup>C(O)R<sup>8'</sup>;

wherein R<sup>2</sup> is phenyl or naphthyl selected from arylalkenyl, aryl, and heterocyclyl, wherein R<sup>2</sup> is optionally substituted with one to five groups independently selected from halo, -NH<sub>2</sub>, -OH, -CN, -CF<sub>3</sub>, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, oxo, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, (C<sub>2</sub>-C<sub>6</sub>)alkenyl, (C<sub>2</sub>-C<sub>6</sub>)alkynyl, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino, -C(O)R<sup>8</sup>, -COOR<sup>8</sup>, -C(O)NR<sup>8</sup>R<sup>8'</sup>, -NR<sup>8</sup>C(O)R<sup>8'</sup>, and (C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, heteroaryl, cycloalkyl or heterocyclyl, each of which is optionally substituted with one to three groups independently selected from halo, -NH<sub>2</sub>, -OH, -CN, -CF<sub>3</sub>, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl, oxo, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, (C<sub>1</sub>-C<sub>6</sub>)alkoxy(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>2</sub>-C<sub>6</sub>)alkenyl, (C<sub>2</sub>-C<sub>6</sub>)alkynyl, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino, -C(O)R<sup>8</sup>, -COOR<sup>8</sup>, -C(O)NR<sup>8</sup>R<sup>8'</sup>, and -NR<sup>8</sup>C(O)R<sup>8'</sup>;

wherein R<sup>4</sup> is independently selected from H and C<sub>1</sub>-C<sub>4</sub>-alkyl, or aryl optionally substituted with one to three groups selected from halo, NH<sub>2</sub>, OH, CN, -CF<sub>3</sub>, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl, oxo, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, (C<sub>1</sub>-C<sub>6</sub>)alkoxy(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>2</sub>-C<sub>6</sub>)alkenyl, (C<sub>2</sub>-C<sub>6</sub>)alkynyl, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino, -C(O)R<sup>8</sup>, -COOR<sup>8</sup>, -C(O)NR<sup>8</sup>R<sup>8'</sup>, and -NR<sup>8</sup>C(O)R<sup>8'</sup>;

wherein R<sup>4</sup> and R<sup>5</sup> are hydrogen;

wherein R<sup>3</sup> represents, R<sup>4</sup> and R<sup>5</sup> are the same or different and represent H, halo, -NH<sub>2</sub>, -OH, -CN, -CF<sub>3</sub>, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, oxo, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, (C<sub>2</sub>-C<sub>6</sub>)alkenyl, (C<sub>2</sub>-C<sub>6</sub>)alkynyl, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino, -C(O)R<sup>8</sup>, -COOR<sup>8</sup>, -C(O)NR<sup>8</sup>R<sup>8'</sup>, -NR<sup>8</sup>C(O)R<sup>8'</sup>, a basic moiety, or (C<sub>1</sub>-C<sub>2</sub>)alkyl, aryl, heteroaryl, cycloalkyl or heterocyclyl, each of which is optionally substituted with one to three groups independently selected from halo, -NH<sub>2</sub>, -OH, -CN, -CF<sub>3</sub>, (C<sub>1</sub>-C<sub>6</sub>)alkylamino, halo(C<sub>1</sub>-C<sub>6</sub>)alkyl, oxo, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, (C<sub>1</sub>-C<sub>6</sub>)alkoxy(C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>2</sub>-C<sub>6</sub>)alkenyl, (C<sub>2</sub>-C<sub>6</sub>)alkynyl, di(C<sub>1</sub>-C<sub>6</sub>)alkylamino, -C(O)R<sup>8</sup>, -COOR<sup>8</sup>, -C(O)NR<sup>8</sup>R<sup>8'</sup>, and -NR<sup>8</sup>C(O)R<sup>8'</sup>; and

wherein R<sup>8</sup> and R<sup>8'</sup> independently are selected from H, and lower alkyl, aryl and heteroaryl, each of which is optionally substituted with one, two or three groups independently selected from lower alkyl, halogen, lower alkoxy, hydroxy, amino, mono- or dialkylamino, and trifluoromethyl;

provided at least one of R<sup>3</sup>, R<sup>4</sup> and R<sup>5</sup> is a basic moiety;  
and pharmaceutically acceptable derivatives thereof.

15. (Cancelled).

16. (Original) The compound of Claim 14 wherein R<sup>4</sup> and R<sup>5</sup> are H; and wherein R<sup>3</sup> is selected from -NH<sub>2</sub>, aminomethyl, aminoethyl, aminopropyl, isopropylaminomethyl, *t*-butylaminomethyl, *iso*-butylaminomethyl, 1-methylpropylaminomethyl, 2-methylbutylaminomethyl, 2,2'-dimethylpropylaminomethyl, 2,2',3-trimethylpropylaminomethyl, allyl-aminomethyl, isopropylaminopropyl, 1-(isobutylamino)ethyl, 1-(isopropylamino)-1-methylethyl, N-isopropyl-N-ethylaminomethyl, N-isopropyl-N-methylaminomethyl, N-*t*-butyl-N-methylaminomethyl, N-*iso*-butyl-N-methylaminomethyl, N-*t*-butyl-N-ethylaminomethyl, N-isobutyl-N-methylaminomethyl, N-*t*-butyl-N-isopropylaminomethyl, N,N-di(isopropyl)aminomethyl, N,N-dimethylaminomethyl, N,N-diethylaminomethyl, N,N-di(*t*-butyl)-aminomethyl, N,N-di(allyl)-aminomethyl, cyclopropylaminomethyl, 1-(cyclopropylamino)ethyl, cyclobutylaminomethyl, 2-(cyclobutylamino)ethyl, 1-(cyclobutylamino)ethyl, cyclopentylaminomethyl, 1-cyclopentylaminoethyl, cyclopropylmethylaminomethyl, hydroxyethylamino-allyl, isopropylamino-allyl, *t*-butylamino-allyl, cyclopropylmethylamino-allyl, piperidin-1-yl-allyl, pyrrolidin-1-yl-allyl, azetidin-1-yl-allyl, 3-hydroxypyrrolidin-1-yl-allyl, aminocarbonylethylaminomethyl, methoxyethylaminomethyl, 1-(methoxyethylamino)ethyl, 1-piperidinylmethyl, 2-(piperidin-1-yl)ethyl, 3,4-dihydropiperidin-1-ylmethyl, 4-fluoropiperidinylmethyl, 4,4'-difluoropiperidinylmethyl, 4-(piperidin-1-yl)piperidinylmethyl, 3-aminocarbonylpiperidin-1-ylmethyl, 4-(dimethylamino)piperidin-1-ylmethyl, 2,6-dimethylpiperidin-1-ylmethyl, 3,3-dimethylpiperidin-1-ylmethyl, piperidin-1-yl-2-methylethyl, 3-hydroxypiperidin-1-yl, 4-morpholinylmethyl, 4-morpholinyethyl, 1-pyrrolidinylmethyl, 2-methylpyrrolidin-1-ylmethyl, 1-(methylpyrrolidin-1-yl)ethyl, 2,5-dimethylpyrrolidin-1-ylmethyl, 1-azetidinylmethyl, 7-aza-bicyclo[2.2.1]heptyl, piperazin-1-ylmethyl, 4-methylpiperazin-1-ylmethyl, and 1-pyrrolidinylethylaminomethyl; and pharmaceutically acceptable derivatives thereof.

17-23. (Cancelled).

24. (Previously Presented) The compound of Claim 14 wherein R<sup>2</sup> is 2-naphthyl.

25. (Previously Presented) The compound of Claim 14 wherein R<sup>2</sup> is 3,4-dichlorophenyl.

26. (Previously Presented) The compound of Claim 14 wherein R<sup>2</sup> is 3-trifluoromethylphenyl.

27. (Previously Presented) The compound of Claim 14 and/or pharmaceutically acceptable derivatives thereof selected from

3-(Naphthalen-2-ylsulfonylamino)-3-phenyl-N-(7-piperidin-1-ylmethyl-chroman-4-yl)-propionamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-phenyl-N-(7-piperidin-1-ylmethyl-chroman-4-yl)-propionamide;

3-(Naphthalen-2-yl-sulfonylamino)-3-phenyl-N-(5-piperidin-1-ylmethyl-indan-1-yl)-propionamide;

3-(Naphthalen-2-yl-sulfonylamino)-3-phenyl-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-propionamide;

(3S)-N-((1R)-6-(((1,1-dimethylethyl)amino)-methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(4-fluorophenyl)-3-(((3-(trifluoromethyl)phenyl)-sulfonyl)amino)propanamide;

(3R)-3-phenyl-N-((1R)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl) amino)propanamide;

(3R)-N-((1R)-6-((4-fluoro-1-piperidinyl)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;

(3R)-N-((1R)-5-((4,4-difluoro-1-piperidinyl)methyl)-2,3-dihydro-1H-inden-1-yl)-3-phenyl-3-(((3-(trifluoromethyl) phenyl)sulfonyl)amino)propanamide;

(3R)-N-((1R)-6-((cyclopentylamino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(4-fluorophenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)-amino)propanamide;

(3R)-3-(4-fluorophenyl)-N-((1R)-6-(1-pyrrolidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)-amino)propanamide;

(3R)-N-((1R)-6-((4,4-difluoro-1-piperidinyl)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;

(3R)-3-(methyl((3-(trifluoromethyl)phenyl)sulfonyl)amino)-3-phenyl-N-((1R)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;

(3R)-3-(((5-chloro-3-methyl-1-benzothien-2-yl)sulfonyl)amino)-N-(6-(((1,1-dimethylethyl)amino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide;

(3R)-3-(((5-chloro-3-methyl-1-benzothien-2-yl)sulfonyl)amino)-3-phenyl-N-(6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;

(3R)-N-((1R)-6-(3,6-dihydro-1(2H)-pyridinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl) amino)propanamide;

(3R)-3-(((5-chloro-1-benzothien-2-yl)sulfonyl)amino)-3-(6-(methyloxy)-3-pyridinyl)-N-((1R)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;

(3R)-3-(6-(methyloxy)-3-pyridinyl)-N-((1R)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl) amino)propanamide;

(3S)-3-(4-fluorophenyl)-N-((1R)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl) amino)propanamide;

(3R)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-N-((1R)-6-(((1,1-dimethylethyl)amino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide;

(3R)-N-((1R)-6-((cyclopentylamino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-3-phenylpropanamide;

(3R)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-N-((1R)-6-(((2-methylpropyl)amino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide;

(3R)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-N-((1R)-6-(((1,1-dimethylethyl)amino)methyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-(7-piperidin-1-ylmethyl-chroman-4-yl)-propionamide;

3-(4-Fluoro-phenyl)-N-(7-piperidin-1-ylmethyl-chroman-4-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-{7-[(2-methoxy-ethylamino)-methyl]-chroman-4-yl}-propionamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-[6-(isobutylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-propionamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-[6-(isopropylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-propionamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-{6-[(2-methoxy-ethylamino)-methyl]-1,2,3,4-tetrahydro-naphthalen-1-yl}-propionamide;

N-[7-(tert-Butylamino-methyl)-chroman-4-yl]-3-(3,4-dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3,4-dichloro-benzenesulfonylamino)-3-(4-fluoro-phenyl)-propionamide;

3-(4-Fluoro-phenyl)-N-[7-(isobutylamino-methyl)-chroman-4-yl]-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

N-[7-(tert-Butylamino-methyl)-chroman-4-yl]-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

N-(6-Cyclobutylaminomethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(4-Fluoro-phenyl)-N-[6-(isobutylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(4-Fluoro-phenyl)-N-[6-(isopropylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(4-Fluoro-phenyl)-N-{6-[(2-methoxy-ethylamino)-methyl]-1,2,3,4-tetrahydro-naphthalen-1-yl}-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(4-Fluoro-phenyl)-N-(7-pyrrolidin-1-ylmethyl-chroman-4-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-nitro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-cyano-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(4-tert-Butyl-benzenesulfonylamino)-N-(6-cyclobutylaminomethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(4-fluoro-phenyl)-propionamide;

3-(4-tert-Butyl-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-propionamide;

3-(4-tert-Butyl-benzenesulfonylamino)-3-(4-fluoro-phenyl)-N-[6-(isobutylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(4-tert-butyl-benzenesulfonylamino)-3-(4-fluoro-phenyl)-propionamide;

3-(3-Fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

N-(6-Cyclopentylaminomethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3,4-dichloro-benzenesulfonylamino)-3-(3-fluoro-phenyl)-propionamide;

N-[7-(tert-Butylamino-methyl)-6-chloro-chroman-4-yl]-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(4-Fluoro-phenyl)-N-[6-(4-fluoro-piperidin-1-ylmethyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

3-(3-Chloro-phenyl)-3-(3,4-dichloro-benzenesulfonylamino)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-propionamide;

3-(3,4-Dichloro-benzenesulfonylamino)-3-(3-fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3,4-dichloro-benzenesulfonylamino)-3-(3-fluoro-phenyl)-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(3,4-dichloro-benzenesulfonylamino)-3-(3-fluoro-phenyl)-propionamide;

N-{7-[(Cyclopropylmethyl-amino)-methyl]-chroman-4-yl}-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

N-{6-[(Cyclopropylmethyl-amino)-methyl]-1,2,3,4-tetrahydro-naphthalen-1-yl}-3-(4-fluoro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;

N-[7-(tert-Butylamino-methyl)-chroman-4-yl]-3-(2-chloro-5-trifluoromethyl-benzenesulfonylamino)-3-(4-fluoro-phenyl)-propionamide;

N-[6-(tert-Butylamino-methyl)-1,2,3,4-tetrahydro-naphthalen-1-yl]-3-(4-nitro-phenyl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;  
3-(4-Chloro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;  
3-(3,5-Dichloro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;  
3-(2-Fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;  
3-(4-Fluoro-phenyl)-N-(6-piperidin-1-ylmethyl-1,2,3,4-tetrahydro-naphthalen-1-yl)-3-(3-trifluoromethyl-benzenesulfonylamino)-propionamide;  
(3R)-3-Phenyl-N-((4R)-7-(1-piperidinylmethyl)-3,4-dihydro-2H-chromen-4-yl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;  
(3R)-3-(((3,4-Dichlorophenyl)sulfonyl)amino)-3-phenyl-N-((4R)-7-(1-piperidinylmethyl)-3,4-dihydro-2H-chromen-4-yl)propanamide;  
(3R)-3-(((3,4-Dichlorophenyl)sulfonyl)amino)-N-((4R)-7-(4-morpholinylmethyl)-3,4-dihydro-2H-chromen-4-yl)-3-phenylpropanamide;  
(3R)-N-((4R)-7-(((1,1-Dimethylethyl)amino)methyl)-3,4-dihydro-2H-chromen-4-yl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;  
(3R)-3-((2-Naphthalenylsulfonyl)amino)-3-phenyl-N-((1S)-6-(1-piperidinylmethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;  
(3R)-N-((4R)-1-Methyl-2,2-dioxido-7-(1-piperidinylmethyl)-3,4-dihydro-1H-2,1-benzothiazin-4-yl)-3-((2-naphthalenylsulfonyl)amino)-3-phenylpropanamide;  
(3R)-3-((2-Naphthalenylsulfonyl)amino)-3-phenyl-N-((1S)-5-(1-piperidinylmethyl)-2,3-dihydro-1H-inden-1-yl)propanamide;  
(3R)-N-((4R)-7-((4-Fluoro-1-piperidinyl)methyl)-3,4-dihydro-2H-chromen-4-yl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;  
(3R)-N-((4R)-7-((4,4-Difluoro-1-piperidinyl)methyl)-3,4-dihydro-2H-chromen-4-yl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;  
(3R)-3-(((3,4-dichlorophenyl)sulfonyl)amino)-3-phenyl-N-((1R)-6-(1-(1-piperidinylmethyl)ethenyl)-1,2,3,4-tetrahydro-1-naphthalenyl)propanamide;

(3R)-N-((1R)-6-(1-((3S)-3-hydroxy-1-pyrrolidinyl)methyl)ethenyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenyl-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;  
(3R)-3-phenyl-N-((1R)-6-(1-(1-pyrrolidinylmethyl)ethenyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;  
(3R)-3-phenyl-N-((1R)-6-(1-(1-piperidinylmethyl)ethenyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-(((3-(trifluoromethyl)phenyl)sulfonyl)amino)propanamide;  
(3R)-3-((hydroxy(oxido)(3-(trifluoromethyl)phenyl)-lambda~4~-sulfanyl)amino)-N-((1R)-6-((1R)-1-((2-methylpropyl)amino)ethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-phenylpropanamide; and  
(3R)-N-((1R)-6-((1R)-1-((2-methylpropyl)amino)ethyl)-1,2,3,4-tetrahydro-1-naphthalenyl)-3-((2-naphthalenylsulfonyl)amino)-3-phenylpropanamide.

28-62. (Canceled).